

B2 ^{sub} 10. (Amended) The method of claim 1 comprising administering to said individual the complement activation inhibitor prior to the administration of said active ingredient.

B3 ^{sub} 14. (Amended) The method according to claim 1 wherein said amphiphilic carrier is selected from the group consisting of liposomes, colloidal dispersions, particulate biomaterials, radiocontrast agents and emulsifiers.

15. (Amended) The method according to claim 1 wherein said active ingredient is doxorubicin, daunorubicin or amphoterin B.

B4 17. (Amended) The method according to claim 1 wherein active ingredient is hemoglobin or polynucleotide.

REMARKS

Entry of the amendment and reconsideration is respectfully requested. The amendments are in response to points raised in the final Office Action and should lessen the issues on appeal or result in the allowance of the application.

Upon entry of the amendment, claims 1-11, 14, and 16-19 are pending, claims 7-9, 11 and 18-19 remain withdrawn from consideration and claims 1-6, 14, 16 and 17 are before the Examiner.

Claims 1-6, 10, 14, 16 and 17 are amended. Claims 12, 13 and 15 are cancelled. Claim 10 has been reformatted as a dependent claim, depending on claim 1. "A(a)ctive ingredient" is substituted for "drug" throughout the claims and is defined in claim 1. The solvent is clearly indicated to be the pharmaceutical solvent, mentioned in the specification. Other edits to the claims respond to points raised in the Official Action or were undertaken to more clearly present the invention. No new matter is believed to have been introduced.

Rejections under 35 USC 112, Second Paragraph

Claims 1-6, 10 and 12-17 are rejected under 35 USC 112, second paragraph, as being indefinite for failing to particularly point out distinctly claim containing subject matter which applicant regards as his invention.

The claims have been amended to address the points raised in the Official Action which should render the rejection as stated moot. Please note that “particulate biomaterials” is a recognized term of art and that Chemophor® and Chemophor EL® are recognized trademarks. Note attachments A, B, and C.

Withdrawal of the rejection is respectfully requested.

Rejections under 35 USC 103

Claims 1-6, 10 and 12-17 are rejected under 35 USC 103 as being unpatentable over Ko (5,851,528) by itself or in combination with De Lacharrier (5,744,156). Applicant respectfully traverses.

The claims have been amended to more clearly the inventive contribution- the administration of an effective amount of an complement activation inhibitor to reduce the hypersensitivity caused by the presence of a specified active ingredient and/or a specified amphiphilic material.

There is no recognition in either the primary or secondary reference of the specific problem discovered and solved by Applicants.

Ko teaches chimeric molecules composed of a first and second polypeptides, both of which inhibit complement activation. The chimeric proteins are taught to reduce inflammation.

Conditions mentioned include those associated with ischemia-reperfusion, crash injury, burns, ARDS, autoimmune disorders, etc.. Table 1, referred to by the Examiner, lists potential clinical targets of the protein chimeras, i.e. targets to try.¹ None is an immediate complement reaction like that disclosed herein. The Table does mention “Drug Allergy”.

“Goodman & Gilman’s The Pharmacological Basis of Therapeutics”, Ninth Edition, 1996, Chapter 4, “Principles of Toxicology and Treatment of Poisoning” by Curtis D. Klaasen, provides are accepted meanings for “hypersensitivity” and “drug allergy” at pp. 67 and 68 (Attachment D).² The terms hypersensitivity and drug allergy describe the allergic state. There is usually a latency period of at least 1 or 2 weeks. (This contrasts with our specification in that complement activation occurs immediately with no latent period- there is no requirement for induction of antibodies.)

Accordingly, the teaching of Klaasen (Table1) merely suggest potential applications, e.g. “Allergic Reactions” to drugs, which have characteristics that are distinctly different from the immediate complement reactions of the instant invention.

De Lacharriere teaches the use of a substance P antagonist for the preparation of a pharmaceutical composition for treating skin reddening of a neurological origin. There is no

¹ The art of pathological conditions associated with complement activation in the field of complement prior to the instant disclosed invention are described in the attached Table A. Applicants consulted 44 reviews, research, or textbook articles in the field. Many of these reviews, both before and after 1998 (the Ko, et al patent issued on 22 Dec 98), gave comprehensive listing of pathological conditions associated with complement activation. Each of the pathological conditions mentioned by Ko, et al are included. The first mention of immediated non-IgE hypersensitivity reactions mediated by complement was published by Applicants in Feb, 1998.

² Klasen mentions Type I, II, III and IV reactions. Type I reactions (“anaphylactic”) tend to occur quickly after challenge with an antigen to which the individual has been sensitized. These are also termed *immediate hypersensitivity reactions*. These characteristics are similar to the reactions referred to in the instant specification. According to Klaasen, Type I reactions are mediated exclusively by IgE. IgE cannot activate complement. These immediate hypersensitivity reactions are not due to complement. Type II reactions are slow reactions (generally occurring days or weeks later). These reactions are due to the presence of antibodies against tissue antigens. See p. 68, lines 4-5. Type III reactions are also slow reactions, requiring hours, days, or weeks. IgG immune complexes subsequently fix complement and then deposit in tissues to set up a destructive inflammatory responses. These reactions are not rapid anaphylactic reactions. Type IV reactions are mediated by cells, not complement.

mention of hypersensitivity associated with complement activation by amphiphilic molecules nor its treatment in the manner claimed.

The teachings of references, taken alone or in combination, are incomplete and thereby fail to suggest the claimed invention.

Further, it is respectfully submitted that the references fail to suggest their combination. There is no problem evident in one for which the other is a solution.

Since a prima facie case has not been established, withdrawal of the rejection is respectfully requested.

Conclusion

Having addressed all of the rejections and objections, allowance of the application is believed to be in order. A notice to this effect is respectfully requested.

In the unlikely event that the transmittal letter is separated from this document and the Patent Office determines that an extension and/or other relief is required, applicant petitions for any required relief including extensions of time and authorizes the Commissioner to charge the cost of such petitions and/or other fees due in connection with the filing of this document to


Deposit Account No. 210-380 referencing docket no. WRAIR 97-18 (378332000900).

However, the Commissioner is not authorized to charge the cost of the issue fee to the Deposit Account.

Respectfully submitted,

Dated: June 13, 2001

BY


Thomas G. Wiseman
Registration No. 35,046
Venable, Baetjer, Howard & Civiletti, LLP
1201 New York Avenue, N.W.
Washington, D.C. 20005-3917
Telephone: (202) 513-4614
Facsimile: (202) 962-8300

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE CLAIMS:

1. (Amended) A method for reducing hypersensitivity side effect [associated with the administration of an] caused by an amphiphilic carrier, and/or active ingredient [containing pharmaceutical composition] comprising administering to a subject a hypersensitivity reducing effective amount of a complement activation inhibitor in conjunction with the active ingredient and the amphiphilic carrier or a pharmaceutical solvent, wherein said amphiphilic carrier is polyethoxylated oil or a derivatized polyethoxylated oil, and wherein the active ingredient is taxol, paclitaxel, Doxil, althesin, cyclosporin, diazepam, didemnin E, echinomycin, propandid, steroids, teniposide, doxorubicin, daunorubicin, amphoterin B, hemoglobin, polynucleotide or multivitamin product [said composition, wherein the complement activation inhibitor is present in an amount to reduce the hypersensitivity effect].

2. (Amended) The method according to claim 1 wherein said composition further comprises [amphiphilic molecule is polyethoxylated oil or a derivative thereof,] emulsifiers or detergent molecules.

3. (Amended) The method according to claim 2 wherein the pharmaceutical solvent is selected from the group of hydrophilic or hydrophobic solvents.

4. (Amended) The method according to claim [3] 1 wherein the polyethoxylated oil [solvent] is [Cremophor or] Cremophor EL.

5. (Amended) The method according to claim 1 wherein said active ingredient [drug] is poorly soluble in water-based solvents and necessitates the addition of emulsifiers to become soluble.

6. (Amended) The method according to claim 2 wherein the active ingredient [pharmaceutical composition includes] is taxol[, althesin, cyclosporin, diazepam, didemnin E, echinomycin, propandid, steroids, teniposide, or multivitamin products].

10. (Amended) [A] The method of claim 1 [for preventing a complement activation reaction in an individual resulting from the administration of a drug composition containing polyethoxilated oil, said method] comprising

administering to said individual [an effective amount of a] the complement activation inhibitor prior to the administration of said active ingredient[drug composition].

14. (Amended) The method according to claim [12] 1 wherein said amphiphilic carrier is selected from the group consisting of liposomes, colloidal dispersions, particulate biomaterials, radiocontrast agents and emulsifiers.

16. (Amended) The method according to claim [15] 1 wherein said [drug] active ingredient is doxorubicin, daunorubicin or amphotericin B.

17. (Amended) The method according to claim [12] 1 wherein the [pharmaceutical composition includes as an active agent] active ingredient is hemoglobin or polynucleotide[s].

TABLE A

Pathologic Conditions Associated with Complement Activation
(Bolded entries were listed in the patent of Ko, et al)

Diseases	References
1. Acute myocardial infarction	(1-4)
2. Adverse drug reactions	<u>none until ours in Feb 1998</u>
3. Alzheimer's Disease	(5-7)
4. Anaphylaxis	(5-7)
5. Asthma	(7)
6. ARDS	(5-7)
7. Arthrus reaction	(7, 8)
8. Atheroma	(5, 6)
9. Bowel inflammation	(5, 6)
10. Bullous pemphigoid (bullous diseases)	(7, 9, 10)
11. Behcet's syndrome	(5, 6)
12. Burn injuries	(7)
13. Catheter reactions	(5-7)
14. Cerebral lupus	(5)
15. Crohn's disease	(7, 11)
16. Crush injury (polytrauma)	(12-15)
17. Cryoglobulinemia (i.e., immune complex formation)	(16, 6-8, 16-21)
18. Drug allergy	<u>none until ours in Feb 1998</u>
19. Experimental allergic encephalomyelitis	(7)
20. Experimental allergic neuritis	(7)
21. Forssman shock	(7)
22. Glomerulonephritis	(6, 17, 20, 21)
23. Guillain-Barre syndrome	(5, 6)
24. Goodpasture's disease	(17, 20, 21)
25. Hemolytic anemia (sickle cell anemia)	(7, 17)
26. Hemodialysis	(7)
27. Hemolytic-uremic syndrome	(6)
28. HEMPAS	(5)
29. Hereditary angioedema	(7, 16, 18, 20, 21)
30. Huntington's disease	(7)
31. Hypersensitivity Pneumonitis	(17)
32. Hypovolemic shock	(13, 22-24)
33. Inflammatory (bowel) diseases	(11, 25-29)
34. Infertility	(5, 6)
35. Intestinal ischemia	(11, 30-33)
36. Ischemia/reperfusion injuries	(7)

37. IC-induced vasculitis	(7)
38. ITP	(5, 17)
39. Juvenile rheumatoid	(5, 6)
40. Lupus nephritis	(5, 18)
41. Membranoproliferative glomerulonephritis	(5, 6, 17, 18, 20, 21)
42. Multiple organ failure	(7, 23, 34, 35)
43. Multiple sclerosis	(6, 7)
44. Myasthenia gravis	(5-7, 17, 19)
45. Pancreatitis	(11, 25-29)
46. Paroxysmal Nocturnal Hemoglobinuria	(5, 17, 20, 21)
47. Pemphigus-Pemphigoid	(5, 6)
48. Phototoxic reactions	(5, 6)
49. Pick's disease	(7)
50. Post-bypass (post-pump) syndrome	(5-7, 17)
51. Preeclampsia	(5, 6)
52. Psoriasis	(7)
53. Radiographic contrast media allergy	(36-40)
54. Reperfusion injury	(1-4)
55. Rheumatoid arthritis	(5-8, 16, 17)
56. Rheumatic myocarditis/endocarditis	(17)
57. Septic shock (endotoxinemia)	(7, 8)
58. Serum sickness	(8, 17)
59. Shonlein-Henoch purpura	(17)
60. Sjogren's syndrome	(5, 6)
61. SLE	(16, 6, 7, 16-21)
62. Stroke	(7)
63. Thermal injury (burn and frostbite)	(41-44)
64. Thyroiditis	(5, 6)
65. Transplant rejection (hyperacute allo- and xenograft)	(5, 7, 20, 21)
66. Urticaria	(8)
67. Vascular leak syndrome (IL-2-induced)	(13, 20, 21)
68. Vasculitis	(5, 7, 16, 17, 19)
69. Xenotransplantation	(20, 21)

References

1. Shandelya, S. M., P. Kuppusamy, A. Herskowitz, M. L. Weisfeldt, J. L. Zweier. 1993. Soluble complement receptor type 1 inhibits the complement pathway and prevents contractile failure in the postischemic heart. Evidence that complement activation is required for neutrophil-mediated reperfusion injury. *Circulation* . 88: 2812-26
2. Smith, E. d., D. E. Griswold, J. W. Egan, L. M. Hillegass, R. A. Smith, M. J. Hibbs, R. C. Gagnon. 1993. Reduction of myocardial reperfusion injury with human soluble complement receptor type 1 (BRL 55730). *Eur J Pharmacol* . 236: 477-81

3. Amsterdam, E. A., G. L. Stahl, H. L. Pan, S. V. Rendig, M. P. Fletcher, J. C. Longhurst. 1995. Limitation of reperfusion injury by a monoclonal antibody to C5a during myocardial infarction in pigs. *Am J Physiol* . 268: H448-H457
4. Chavez-Cartaya, R. E., G. P. DeSola, L. Wright, N. V. Jamieson, D. J. White. 1995. Regulation of the complement cascade by soluble complement receptor type 1. Protective effect in experimental liver ischemia and reperfusion. *Transplantation* . 59: 1047-52
5. Morgan, P. B. 1995. Physiology and pathophysiology of complement: progress and trends . *Crit. Rev. Clin. Lab. Sci.* 32: 265-298
6. Prodinger, W. M., R. Wurzner, A. Erdei, M. P. Dierich. 1999. Complement. In *Fundamental Immunology*, 4th Edition , 967-995 . Philadelphia: Lippincott-Raven Publishers
7. Sahu, A., J. D. Lambris. 2000. Complement inhibitors: a resurgent concept in anti-inflammatory therapeutics. *Immunopharmacol.* 49: 133-148
8. Osler, A. G. 1976. Complement Mechanisms and Functions . Prentice-Hall Foundation of Immunology, eds. A. G. Osler, L. Weiss. Englewood Cliffs, N.J.: Prentice-Hall, Inc.
9. Dahl, M. G., L. J. Cook. 1979. Lesions induced by trauma in pemphigoid. *Br J Dermatol* . 101: 469-473
10. Salomon, R. J., R. A. Briggaman, S. Y. Wernikoff, A. L. Kayne. 1987. Localized bullous pemphigoid. A mimic of acute contact dermatitis. *Arch Dermatol* . 123: 389-392
11. Zhi-Yong, S., Y. L. Dong, X. H. Wang. 1992. Bacterial translocation and multiple system organ failure in bowel ischemia and reperfusion. *J Trauma* . 32: 148-153
12. Schlag, G., H. Redl. 1987. Mediators in trauma. *Acta Anaesthesiol Belg* . 38: 281-291
13. Rose, S., I. Marzi. 1996. Pathophysiology of polytrauma. *Zentralbl Chir* . 121: 896-913
14. Hecke, F., U. Schmidt, A. Kola, W. Bautsch, A. Klos, J. K"hl. 1997. Circulating complement proteins in multiple trauma patients--correlation with injury severity, development of sepsis, and outcome. *Crit Care Med* . 25: 2015-2024
15. Rose, S., I. Marzi. 1998. Mediators in polytrauma--pathophysiological significance and clinical relevance. *Langenbecks Arch Surg* . 383: 199-208
16. Roitt, I. M. 1985. Complement. 8th ed. In *Essential Immunology* , 7.1-7.14. Oxford: Blackwell Scientific Publications
17. Kunkel, S. L., P. A. Ward, L. H. Caporale, C.-W. Vogel. 1985. The Complement System. In *Immunology III* , ed. J. A. Bellanti W.B. Saunders Co.
18. Cooper, N. R. 1987. The complement system. In *Basic & Clinical Immunology*, Sixth Edition , eds. D. P. Stites, J. D. Stobo, J. W. Wells, 114-127. Norwalk, Connecticut: Appleton & Lange
19. Liszewski, K., J. P. Atkinson. 1993. The complement system. In *Fundamental Immunology*, Third Edition , ed. W. E. Paul, 917-939. New York: Raven Press, Ltd.
20. Walport, M. J. 2001 . Complement. Part 1. *N. Engl. J Med.* 344: 1058-1066
21. Walport, M. J. 2001 . Complement. Part 2. *N. Engl. J Med.* 344: 1140-1146
22. Slotman, G. J., K. W. Burchard, J. J. Williams, A. D'Arezzo, S. A. Yellin. 1986. Interaction of prostaglandins, activated complement, and granulocytes in clinical sepsis and hypotension [published erratum appears in *Surgery* 1988 Jul;104(1):114]. *Surgery* . 99: 744-751
23. Zimmermann, T., Z. Laszik, S. Nagy, J. Kaszaki, F. Joo. 1989. The role of the complement system in the pathogenesis of multiple organ failure in shock. *Prog. Clin. Biol. Res.* 308: 291-297
24. Bengtsson, A. 1993. Cascade system activation in shock. *Acta Anaesthesiol. Scand. Suppl.* 98: 7-10

25. Kellermann, W., R. Frentzel-Beyme, M. Welte, M. Jochum. 1989. Phospholipase A in acute lung injury after trauma and sepsis: its relation to the inflammatory mediators PMN-elastase, C3a, and neopterin. *Klin Wochenschr* . 67: 190-195
26. Kirschfink, M. 1997. Controlling the complement system in inflammation. *Immunopharmacology* . 38 : 51-62
27. Czermak, B. J., H. P. Friedl, P. A. Ward. 1998. Complement, cytokines, and adhesion molecule expression in inflammatory reactions. *Proc Assoc Am Physicians* . 110: 306-312
28. Faist, E., C. Kim . 1998 . Therapeutic immunomodulatory approaches for the control of systemic inflammatory response syndrome and the prevention of sepsis . *New Horiz* . 6 : S97-102
29. Eror, A. T., A. Stojadinovic, B. W. Starnes, S. C. Makrides, G. C. Tsokos, T. Shea-Donohue. 1999. Antiinflammatory effects of soluble complement receptor type 1 promote rapid recovery of ischemia/reperfusion injury in rat small intestine. *Clin Immunol* . 90: 266-75
30. Spain, D. A., T. M. Fruchterman, P. J. Matheson, M. A. Wilson, A. W. Martin, R. N. Garrison. 1999. Complement activation mediates intestinal injury after resuscitation from hemorrhagic shock. *J Trauma* . 46: 224-233
31. Khorram-Sefat, R., C. Goldmann, A. Radke, A. Lennartz, K. Mottaghy, M. Afify, W. Kupper, B. Klosterhalfen . 1998. The therapeutic effect of C1-inhibitor on gut-derived bacterial translocation after thermal injury . *Shock* . 9 : 101-8
32. Kurkchubasche, A. G., D. G. Fendya, T. F. J. Tracy, M. L. Silen, T. R. Weber. 1997. Blunt intestinal injury in children. Diagnostic and therapeutic considerations. *Arch Surg* . 132: 652-658
33. Turnage, R. H., K. S. Guice, K. T. Oldham. 1994. Pulmonary microvascular injury following intestinal reperfusion. *New Horiz* . 2: 463-475
34. Herman, C. M. 1982. The patient with multiple organ system failure: immunologic monitoring. *Adv Shock Res* . 8: 195-207
35. Heideman, M., T. E. Hugli. 1984. Anaphylatoxin generation in multisystem organ failure. *J. Trauma* . 24: 1038-1043
36. Greenberger, P. A. 1984. Contrast media reactions. *J. Allergy Clin. Immunol.* 74: 600-5
37. Erffmeyer, J. E., R. L. Siegle, P. Lieberman. 1985. Allergy grand rounds. Anaphylactoid reactions to radiocontrast material. *J. Allergy Clin. Immunol.* 75: 401-10
38. Westaby, S., P. Dawson, M. W. Turner, R. B. Pridie. 1985. Angiography and complement activation. Evidence for generation of C3a anaphylatoxin by intravascular contrast agents. *Cardiovasc. Res.* 19: 85-8
39. Lieberman, P., R. L. Siegle, G. Treadwell. 1986. Radiocontrast reactions. *Clin. Rev. Allergy* . 4: 229-45
40. Lieberman, P. 1991. Anaphylactoid reactions to radiocontrast materia. *Clin. Rev. Allergy* . 9: 319-338
41. Daniels, J. C., D. L. Larson, S. Abston, S. E. Ritzmann. 1974. Serum protein profiles in thermal burns. II. Protease inhibitors, complement factors, and c-reactive protein. *J Trauma* . 14: 153-162
42. Bjornson, A. B., W. A. Altemeier, H. S. Bjornson. 1976. Reduction in C3 conversion in patients with severe thermal injury. *J Trauma* . 16: 905-911
43. Ablin, R. J., I. A. Holder. 1981. Immunologic sequelae of thermal injury [letter]. *J Trauma* . 21: 659-660

44. Annesley, T. M., G. O. Till, P. A. Ward. 1985. Cutaneous thermal burn and oxidant-mediated acute lung injury: appearance in serum of lung-related LDH isoenzyme. J Free Radic Biol Med . 1: 409-414

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

Attachment A**BASF Corporation****BASF**[Home](#) [Our Businesses](#) [Our Products & Services](#) [Site Map](#)[About BASF](#) [Contact BASF](#)

Search:

All of BASF ☒We don't make a lot of the products you buy.
We make a lot of the products you buy better.**Products & Services:**

















- ▶ [Agricultural Products](#)
- ▶ [Chemicals](#)
- ▶ [Coatings & Colorants](#)
- ▶ [Fiber Products](#)
- ▶ [Polymers](#)
- ▶ [Product Search](#)
















BASF News**Careers****Our Customer Industries**

















Product Catalog







[\[Back to Product Search | A | B | C | D \]](#)

Product Name	Technical Literature	Related Information
(R)-(+)-1-Phenyl Ethylamine (R-PEA)	technical data sheet	chemicals
(S)-(-)-1-Phenyl Ethylamine (S-PEA)	technical data sheet	chemicals
145D	technical data sheet	polystyrene
147F	technical data sheet	polystyrene
148G	technical data sheet	polystyrene
158K	technical data sheet	polystyrene
168M	technical data sheet	polystyrene
168MO	technical data sheet	polystyrene
1-(2-Hydroxyethyl)-2-pyrrolidone	technical data sheet	chemicals
Bis-(3-aminopropyl)-polytetrahydrofuran 2100	technical data sheet	chemicals
Bis-(3-aminopropyl)-polytetrahydrofuran 750	technical data sheet	diols






446C	 technical data sheet	polystyrene
467P	 technical data sheet	polystyrene
476M	 technical data sheet	polystyrene
477I	 technical data sheet	polystyrene
486N	 technical data sheet	polystyrene
495F	 technical data sheet	polystyrene
Accord[®] herbicide (Canada)	 product label	agricultural products
acResin[™]	 technical data sheet	dispersions and paper chemicals
Acronal[®] - Adhesive Raw Materials	 technical data sheet	dispersions and paper chemicals
Acronal[®] - Architectural Coatings	 technical data sheet	dispersions and paper chemicals
Acronal[®] - Nonwovens / Carpet Binders	 technical data sheet	dispersions and paper chemicals
Acronal[®] - Paper Chemicals - Coating Binders	 technical data sheet	dispersions and paper chemicals
Acronal[™] Optive	 technical data sheet	dispersions and paper chemicals
Acrosol[™] - Paper Chemicals	 technical data sheet	dispersions and paper chemicals
Acrylic Acid Dimerization	 technical data sheet	acrylic monomers
Acrylic Acid Glacial	 technical data sheet	acrylic













	data sheet	monomers
Adipic Acid Dihydrazine	 technical data sheet	specialty intermediates
Afranil® - Paper Chemicals - Process Chemicals	 technical data sheet	dispersions and paper chemicals
Alkafoam™ - Paper Chemicals - Coating Additives	 technical data sheet	dispersions and paper chemicals
Alkapen™ - Paper Chemicals - Coating Additives	 technical data sheet	dispersions and paper chemicals
Alkasan™ - Paper Chemicals - Coating Additives	 technical data sheet	dispersions and paper chemicals
Alkasolv™ - Paper Chemicals - Coating Additives	 technical data sheet	dispersions and paper chemicals
Alphacryl®	 technical data sheet	automotive refinish
N-3Amine N-(2-Aminoethyl)-1,3-propylenediamine	 technical data sheet	amines
N-4Amine (N,N'-Bis (3-aminopropyl) ethylenediamine)	 technical data sheet	amines
3-Amino-1-propanol	 technical data sheet	amines
Aminoethoxyethanol	 technical data sheet	amines
Aminoethylethanolamine	 technical data sheet	amines
Aminopropylimidazole	 technical data sheet	carboxies
Ammonium Bicarbonate	 technical data sheet	chemicals
Ammonium Carbamate	 technical data sheet	chemicals













Ammonium Carbonate	 technical data sheet	chemicals
Ammonium Chloride	 technical data sheet	chemicals
Ammonium Sulfate	 technical data sheet	chemicals
t-Amyl Alcohol	 technical data sheet	specialty intermediates
Aniline	 technical data sheet	amines
Anthosin® - Paper Chemicals - Paper Colorants	 technical data sheet	dispersions and paper chemicals
Anthranilamide	 technical data sheet	carboxies
Anthranilic Acid	 technical data sheet	carboxies
Apo-8' Carotenal 20% Dispersion in peanut oil	 technical bulletin	human nutrition
Apogee® plant growth regulator	 product label	agricultural products
Ascorbic Acid USP	 technical bulletin	human nutrition
Avanel® Grades	list of grades and related info	cosmetic ingredients
Avantra® 2710	 technical data sheet	polystyrene
Avantra® 525K	 technical data sheet	polystyrene
Avantra® 585K	 technical data sheet	polystyrene
Avantra® 585K Q402	 technical data sheet	polystyrene
Avantra® 595L	 technical data sheet	polystyrene

Avantra® 597N	 technical data sheet	polystyrene
Avantra® 8130	 technical data sheet	polystyrene
Avantra® 8330	 technical data sheet	polystyrene
Avantra® 8550	 technical data sheet	polystyrene
Avantra® 8750	 technical data sheet	polystyrene
Avantra® 8930	 technical data sheet	polystyrene



[[Back to Product Search](#) | [A](#) | [B](#) | [C](#) | [D](#)]












Product Name	Technical Literature	Related Information
Banvel® herbicide	list of grades and related info	agricultural products
Basagran® herbicide	list of grades and related info	agricultural products
Basamid® Granular soil fumigant (Canada)	 product label	agricultural products
Basazol® - Paper Chemicals - Paper Colorants	 technical data sheet	dispersions and paper chemicals
Basocoll™ - Paper Chemicals - Coatings Additives	 technical data sheet	dispersions and paper chemicals
Basofil® fibers	 technical data sheet	industrial fibers
Basonat™ - Adhesive Raw Materials	 technical data sheet	dispersions and paper chemicals










Basonat™ - Industrial Coatings	 <u>technical data sheet</u>	<u>dispersions and paper chemicals</u>
Basoplast® - Paper Chemicals - Process Chemicals	 <u>technical data sheet</u>	<u>dispersions and paper chemicals</u>
Beta Carotene	<u>list of grades and related info</u>	<u>animal nutrition</u>
Beta-Carotene	<u>list of grades and related info</u>	<u>human nutrition</u>
N,N-Bis(3-aminopropyl) methylamine	 <u>technical data sheet</u>	<u>amines</u>
Bisabolol	<u>list of grades and related info</u>	<u>cosmetic ingredients</u>
Blazer® herbicide	<u>list of grades and related info</u>	<u>agricultural products</u>
Boron Trifluoride Diethylether Complex	 <u>technical data sheet</u>	<u>chemicals</u>
1,4-Butanediol	 <u>technical data sheet</u>	<u>diols</u>
Butanediol Monoacrylate	 <u>technical data sheet</u>	<u>diols</u>
n-Butanol	 <u>technical data sheet</u>	<u>oxo products</u>
2-Butene-1,4-diol	 <u>technical data sheet</u>	<u>diols</u>
Butofan® - Adhesive Raw Materials	 <u>technical data sheet</u>	<u>dispersions and paper chemicals</u>
Butofan® - Nonwovens / Carpet Backings	 <u>technical data sheet</u>	<u>dispersions and paper chemicals</u>
Butonal® - Adhesive Raw Materials	 <u>technical data sheet</u>	<u>dispersions and paper chemicals</u>
		

Butonal® - Asphalt Modifiers	 technical data sheet	dispersions and paper chemicals
Butonal® - Nonwovens / Carpet Backings	 technical data sheet	dispersions and paper chemicals
Butyl Acrylate	 technical data sheet	acrylic monomers
sec-Butylamine	 technical data sheet	amines
tert-Butylamine	 technical data sheet	amines
Butylamine	 technical data sheet	amines
2-Butyne-1,4-diol	 technical data sheet	diols
Butyne-1-ol-3 (55%)	 technical data sheet	diols
n-Butyraldehyde	 technical data sheet	chemicals
gamma-Butyrolactone	 technical data sheet	diols
iso-Butyryl Chloride	 technical data sheet	carboxies
n-Butyryl Chloride	 technical data sheet	carboxies

[[Back to Product Search](#) | [A](#) | [B](#) | [C](#) | [D](#)]

Product Name	Technical Literature	Related Information
d-Calcium Pantothenate USP	 technical bulletin	human nutrition
Calpan	list of grades and related info	animal nutrition
Calsan™ - Paper Chemicals - Coating	 technical data sheet	dispersions and paper



















Additives		chemicals
Canthaxanthin	list of grades and related info	animal nutrition
Caprolactone Monomer	 technical data sheet	chemicals
Catiofast® - Paper Chemicals - Process Chemicals	 technical data sheet	dispersions and paper chemicals
Celebrity® herbicide (USA)	 product label	agricultural products
Celebrity™ Plus herbicide	 product label	agricultural products
Cetylchloroformate	 technical data sheet	carboxies
4'-Chlorobenzophenone-2-carboxylic Acid	 technical data sheet	carboxies
4-Chlorobutylchloride	 technical data sheet	carboxies
2-Chloroethyl Chloroformate	 technical data sheet	carboxies
3-Chloropropionylchloride	 technical data sheet	carboxies
Citowett® Plus adjuvant (Canada)	 product label	agricultural products
Clarity® herbicide (USA)	 product label	agricultural products
Conclude® herbicide	list of grades and related info	agricultural products
Cosmetic Colorant Grades	list of grades and related info	cosmetic ingredients
Cosmetic Dyes Grades	list of grades and related info	cosmetic ingredients
Cosmetic Pigments	list of grades	cosmetic







	<u>and related info</u>	<u>ingredients</u>
Cremophor® A Grades	<u>list of grades and related info</u>	<u>cosmetic ingredients</u>
Cremophor® CO Grades	<u>list of grades and related info</u>	<u>cosmetic ingredients</u>
Cremophor® Grades	<u>list of grades and related info</u>	<u>cosmetic ingredients</u>
Cremophor® RH Grades	<u>list of grades and related info</u>	<u>cosmetic ingredients</u>
Curesan™ - Paper Chemicals - Coating Additives	 <u>technical data sheet</u>	<u>dispersions and paper chemicals</u>
Cyclohexanol	 <u>technical data sheet</u>	<u>amines</u>
Cyclohexanone	 <u>technical data sheet</u>	<u>oxo products</u>
Cyclohexene	 <u>technical data sheet</u>	<u>chemicals</u>
1,2-Cyclohexene Oxide	 <u>technical data sheet</u>	<u>chemicals</u>
Cyclohexylamine	 <u>technical data sheet</u>	<u>amines</u>
N-Cyclohexylpyrrolidone	 <u>technical data sheet</u>	<u>chemicals</u>
Cyclopentanone	 <u>technical data sheet</u>	<u>chemicals</u>
Cycocel® extra plant growth regulator (Canada)	 <u>product label</u>	<u>agricultural products</u>

[[Back to Product Search](#) | [A](#) | [B](#) | [C](#) | [D](#)]

Product Name	Technical	Related
--------------	-----------	---------

	Literature	Information
d-Biotin	list of grades and related info	animal nutrition
Di(2-methoxyethyl)amine	technical data sheet	amines
1,3-Diaminopropane	technical data sheet	amines
Diamont®	technical data sheet	automotive refinsh
1,8-Diazabicyclo-5,4,0-undecene-7	technical data sheet	amines
Dibutylamine	technical data sheet	amines
Dicarboxylic Acid Mixture	technical data sheet	specialty intermediates
Diethylhydroxylamine-pure	technical data sheet	chemicals
Diethylhydroxylamine-85%	technical data sheet	chemicals
Diethyl Ketone	technical data sheet	specialty intermediates
Diethylamine	technical data sheet	amines
2-(Diethylamino)ethylamine	technical data sheet	amines
3-(Diethylamino)propylamine	technical data sheet	amines
4-Diethylaminobenzaldehyde	technical data sheet	carboxies
Diethylcarbamoylechloride	technical data sheet	carboxies
Diethylenetriamine	technical data sheet	amines
N,N-Diethylethanolamine	technical data sheet	amines

Dihexylamine	 technical data sheet	amines
3,4-Dihydro-2H-pyran	 technical data sheet	diols
Dimethoxy-2,5-dihydrofuran	 technical data sheet	chemicals
3,3'-Dimethyl-4,4'-diaminodicyclohexylmethane	 technical data sheet	amines
Dimethylacetamide	 technical data sheet	oxo products
3-(Dimethylamino)propylamine	 technical data sheet	amines
4-Dimethylaminobenzaldehyde	 technical data sheet	carboxies
N,N-Dimethylaminodiglycol	 technical data sheet	amines
N,N-Dimethylbutylamine	 technical data sheet	amines
N,N-Dimethylcyclohexylamine	 technical data sheet	amines
N,N-Dimethylethanolamine	 technical data sheet	amines
Dimethylethylamine	 technical data sheet	amines
Dimethylformamide	 technical data sheet	oxo products
Dimethylformamide dimethylacetal	 technical data sheet	chemicals
1,2-Dimethylimidazole	 technical data sheet	carboxies
cis-2,6-Dimethylmorpholine	 technical data sheet	amines
Dimethylolurea	 technical data sheet	specialty intermediates
1,4-Dimethylpiperazine	 technical data sheet	amines

N,N'-Dimethylpiperazine	 technical data sheet	amines
N,N'-Dimethylurea	 technical data sheet	specialty intermediates
2,2'-Dimorpholinodiethylether	 technical data sheet	amines
Dipropylamine	 technical data sheet	amines
Dipropylene Glycol	list of grades and related info	cosmetic ingredients
Distinct[®] herbicide	list of grades and related info	agricultural products
Ditridecylamine	 technical data sheet	amines
Dry n-3 Omega 3 fatty acid	list of grades and related info	human nutrition
DyVel[®] herbicide (Canada)	 product label	agricultural products

[Home](#) [Our Businesses](#) [Our Products](#) [Site Map](#) [About BASF](#) [Contact BASF](#)

If you have any trouble viewing this site, please contact: webmaster@basf.com

Copyright © 1999-2000 BASF Corporation

Technical Leaflet

ME 074 e
(888) July 1997 (Bn)

Register 5 + 14

Cremophor® EL

® = Registered trademark of
BASF Aktiengesellschaft

Emulsifying agent for the pharmaceuticals, cosmetics and feedstuffs industries; used in aqueous preparations of hydrophobic substances, e. g. fat-soluble vitamins and essential oils.

Common names

Polyoxyethylenglyceroltriricinoleat 35 (DAC), Polyoxyl 35 Castor Oil (USP/NF).

Nature

Cremophor EL is a non-ionic solubilizer and emulsifier obtained by causing ethylene oxide to react with castor oil of German Pharmacopoeia (DAB 8) quality in a molar ratio of 35 moles to 1 mole.

Composition

The main component of Cremophor EL is glycerol-polyethylene glycol ricinoleate, which, together with fatty acid esters of polyethyleneglycol, represents the hydrophobic part of the product. The smaller, hydrophilic part consists of polyethylene glycols and ethoxylated glycerol.

Properties

Cremophor EL is a pale yellow, oily liquid that is clear at temperatures above 26 °C. It has a slight but characteristic odour and can be completely liquefied by heating to 26 °C. The hydrophilic-lipophilic balance (HLB) lies between 12 and 14.

Specification

Viscosity (Höppler) at 25 °C	700 – 850 mPa · s
Mass density at 25 °C	1.05 – 1.06 g/ml
Refractive index at 25 °C	1.465 – 1.475
Saponification value	63 – 72
Hydroxyl value	65 – 78
Iodine value	28 – 32
Acid value	≤ 2
Water content (K. Fischer)	≤ 3 %
pH value of 10 % aqueous solution	6 – 8
Sulfated ash	≤ 0.2 %
Heavy metals (USP XX method)	≤ 10 ppm

Unless otherwise indicated, the values were determined according to the monograph "Polyoxyäthylenglyceroltriricinoleat 35" of the Deutscher Arzneimittelcodex and to the monograph "Polyoxyl 35 Castor Oil", USP/NF.

Solubility

Cremophor EL forms clear solutions in water. It is also soluble in ethyl alcohol, n-propyl alcohol, isopropyl alcohol, ethyl acetate, chloroform, carbon tetrachloride, trichloroethylene, toluene and xylene.

In contrast to that of anionic emulsifying agents, the solubility in water decreases with rising temperature. Thus, aqueous solutions become turbid at a certain temperature.

Cremophor EL is miscible with all other Cremophor grades and, on heating, with fatty acids, fatty alcohols and certain animal and vegetable oils. It is thus miscible with oleic and stearic acids, dodecyl and octadecyl alcohols, castor oil, and a number of lipid-soluble substances.

Stability

Cremophor EL in aqueous solutions is stable towards electrolytes, e. g. acids and salts, provided that their concentration is not too high. Mercury (II) chloride is an exception and forms a precipitate with the product.

Some organic substances may cause precipitation at certain concentrations, especially compounds containing phenolic hydroxyl groups, e. g. phenol, resorcinol and tannin.

Cremophor EL can be sterilized by heating in an autoclave for 30 minutes at 120 °C. It may thus acquire a deeper shade. During sterilization, Cremophor EL should not be heated together with substances that are strongly acidic or alkaline and would thus saponify it.

Application

Cremophor EL is recommended as a solubilizer and emulsifier in many different branches of industry. It is particularly suitable for the production of liquid preparations.

The degree to which the hydrophobic substance is distributed in the liquid depends largely on its properties and on the amount of Cremophor EL used. A rule of thumb is that, if Cremophor EL is present in excess, clear or opalescent liquids are obtained. However, if the proportion of Cremophor EL is reduced to, say 5 – 10%, expressed in terms of water-insoluble substance, conditions exist for the formation of an emulsion.

Pharmaceuticals

In aqueous solution, Cremophor EL emulsifies or solubilizes the fat-soluble vitamins A, D, E and K. In aqueous-alcoholic solutions, it very readily solubilizes essential oils. Other hydrophobic drugs can also be converted into aqueous solutions with Cremophor EL (e.g. Miconazole, Hexedetine, Clotrimazole, Benzocaine).

In order to ensure that the fat-soluble vitamins yield clear aqueous solutions, they must first be intimately mixed with the solubilizer. The preferred forms of vitamin A for this purpose are vitamin A palmitate with 1.7 million I.U./g or vitamin A propionate with 2.5 million I.U./g; and the preferred form of vitamin K is vitamin K₁ (phytomenadione).

An important factor is how the water-soluble substance is solubilized. Hence, a typical example, viz. the preparation of an aqueous vitamin A palmitate solution with 150 000 I.U./ml, is described in detail below.

Vitamin A palmitate 1.7 million I.U./g	8.8 g
Cremophor EL	25.0 g
Water	ad 100 ml

The Cremophor EL is mixed with the vitamin and heated to 60–65 °C. The water, also heated to 60–65 °C, is intimately incorporated in the mixture by slowly stirring in. Initially, thickening occurs as a result of hydration and reaches a maximum when about half of the water has been added. On addition of the remaining water, the viscosity is reduced again. If the first half of the water is added too rapidly, an opalescent solution may be obtained.

The following three diagrams show that clear aqueous solutions of vitamin A palmitate, vitamin A propionate or vitamin E acetate can be obtained in very high concentrations with the aid of Cremophor EL. Concentrations refer to the finished solubilisates.




Fig. 1 Vitamin A palmitate




Fig. 2 Vitamin A propionate




Fig. 3 Vitamin E acetate

The following amounts of other fat-soluble vitamins can be dissolved in a 6 % solution of Cremophor EL:

ca. 200000 I.U. vitamin D₃/ml or
ca. 10 mg vitamin K₁/ml

As a rule, less Cremophor EL is required for mixtures of various vitamins.

The processing temperature and, in some cases, the amount of Cremophor EL required can be reduced by adding small amounts of polyethylene glycol (Lutrol® E 400), propylene glycol or glycerol. The stability of many solubilisates may be affected by light.

For reasons of taste, it is recommended that the hydrogenated and thus tasteless form, viz. Cremophor RH 40, be used for oral application in human medicine. The inherent odour of Cremophor EL can best be masked in many cases with banana aroma.

A solution of one part of azulene in about four parts of Cremophor EL can be infinitely diluted with water. In addition, Cremophor EL has proved to be a useful additive in the production of glycerol suppositories.

Cosmetics

In the cosmetics industry, Cremophor EL is used preferentially for solubilizing perfume oils and for emulsifying fatty substances, organic solvents, and additives. Cremophor EL is an outstanding solubilizer for aroma chemicals and ethereal oils in aqueous isopropyl or ethyl alcohol, provided that the alcohol concentration is 30 – 50 %. In many cases, extremely small additions of Cremophor EL are adequate under these conditions, so that the inherent odour of the product is completely masked. The solubilizers Cremophor RH 40 and Cremophor RH 60, which are also highly efficient, are completely free from odour and taste.

For the production of completely clear solutions of perfume oil in aqueous alcohol, the perfume oil and the solubilizer should be dissolved together in concentrated alcohol, after which the water is added slowly.

Animal nutrition and veterinary medicine

By virtue of its good dispersing action, Cremophor EL enables nutritive and therapeutic substances to be assimilated more completely and thus renders them more effective. This fact is of particular interest for compounded feeds containing oils and fats. A special application of Cremophor EL is the production of cod-liver oil emulsions in veterinary medicine.

Physiological properties

Cremophor EL is tolerated extremely well, as tests with single and repeated oral doses and exposure tests on the skin and mucous membranes have shown.

Acute toxicity

LD 50 (7 days follow-up period):

Rat oral	> 6.4 ml/kg
Rabbit oral	> 10.0 ml/kg
Cat oral	> 10.0 ml/kg
Mouse i. v.	2.5 – 4 ml/kg
Rat percutaneous	> 4.0 ml/kg (maximum applicable dose)

No characteristic toxic symptoms were observed after oral doses or application to the skin, and no pathological changes of the inner organs were discernible with the naked eye during autopsy.

Acute inhalation toxicity

Cremophor EL is practically non-volatile. In tests, rats have inhaled air saturated at 20 °C with the volatile components of the product for over eight hours without suffering any irritation of respiratory tract or any injury by absorption.

Irritation of skin and mucous membranes

Contact for more than 20 hours between the undiluted product and the highly sensitive skin on the backs and ears of white rabbits caused only slight or insignificant inflammation that disappeared rapidly.

This instillation of 0.05 ml of Cremophor EL in the rabbit's conjunctival sac only caused slight reddening of the conjunctiva that disappeared within a few hours. The application of a 50 % aqueous solution of the product caused slight irritation and lachrymation, both of which disappeared rapidly; 30 % aqueous solutions had no irritant effect.

	<p>Repeated application of a 50% solution of Cremophor EL in acetone with a brush to the skin of guinea-pigs produced inflammatory reactions at the affected parts but did not cause any sensitization. Intracutaneous injection of 0.05 or 0.1 ml of a 0.1% solution in physiological sodium chloride solution ten times on successive days to a guinea-pig did not cause sensitization.</p>
Subacute toxicity	<p>Repeated oral administration of Cremophor EL in doses of 0.5, 1.0, 2.5 and 5.3 ml/kg daily (5 times a week over four weeks) with the oesophageal sound to beagles did not cause any clinically detectable disorder except for soft faeces in some cases. In clinical-chemical and pathological-histological tests, the experimental animals did not show any pathological changes attributable to Cremophor EL.</p>
Feeding tests	<p>In six-month feeding tests carried out on rats and dogs with Cremophor EL in concentrations of up to 1%, the experimental animals showed no visible symptoms of poisoning, no impairment of feed ingestion or growth, no detectable disorders of the blood and urine, no organic malfunctions, no increase in weight of the organs, and no abnormal organic mutation that could be detected in pathological-histological tests (no-effect level).</p>
Teratological effect	<p>No teratological or embryotoxic effect of Cremophor EL (tested according to the FDA specifications: Guidelines for reproduction studies for safety evaluation of drugs for human use; 1966) after oral application of 10 and 5 ml/kg daily from the 6th to the 15th day post coitum with the oesophageal sound was observed in NMRI mice. Even the addition of 10% and 5% of Cremophor EL to the feed of pregnant Sprague-Dawley rats during the organogenesis period, i.e. day 0–20, had no embryotoxic or teratological effect.</p> <p>Detailed toxicological test reports on Cremophor EL are available on request.</p>
Effect on action of drugs	<p>The fine degree of dispersion resulting from addition of Cremophor EL allows a drug to be absorbed more readily and increases its efficiency.</p> <p>Cremophor EL promotes the penetration of a number of active substances and exerts either activating or inactivating effects on others, e.g. antibiotics. Therefore, before Cremophor EL preparations are used in practice, it is advisable to subject them to thorough pharmacological tests.</p> <p>Cremophor EL is subjected to detailed quality control involving comprehensive chemical and physical tests. The individual production batches are not, however, subjected to biological tests. For this reason, all producers of Cremophor EL preparations must carry out their own tests to check the suitability of the material used and the final preparations.</p> <p>Cattle that have been subjected to parenteral treatment with certain vaccines or medicaments and subsequently injected with preparations containing Cremophor EL or similar solubilizers have displayed anaphylactoid reactions in isolated, exceptional cases. After the application of injections containing Cremophor EL to human beings, anaphylactoid reactions have sometimes been observed. For this reason, the health authorities in the Federal Republic of Germany and the U.K., for instance, have laid down that the content of polyethoxylated castor oil in injections for parenteral application to human beings must be declared, and any possibility of side effects must be pointed out in the package circular. This is an aspect to which companies producing pharmaceuticals for human beings must pay particular attention.</p> <p>After oral administration of preparations containing Cremophor EL, side effects of this kind have not been observed.</p>
Packaging	<p>Drums of 60 kg and 120 kg capacity.</p>
Product number	<p>00647/1/63</p>
Safety Data Sheet	<p>A Safety Data Sheet is available.</p>
Storage	<p>Cremophor EL should be stored in tightly closed containers and protected from light. Prolonged storage is not advisable unless the containers are completely full.</p>

Note

The data submitted in this publication are based on our current knowledge and experience. They do not constitute a guarantee in the legal sense of the term and, in view of the manifold factors that may affect processing and application, do not relieve processors from the responsibility of carrying out their own tests and experiments. Any relevant patent rights and existing legislation and regulations must be observed.

BASF Aktiengesellschaft
Marketing Feinchemie
67056 Ludwigshafen, Germany

BASF

Printed in Germany

Attachment

GOODMAN & GILMAN's The PHARMACOLOGICAL BASIS OF THERAPEUTICS

Ninth Edition

1996

McGraw-Hill
HEALTH PROFESSIONS DIVISION

New York St. Louis San Francisco Auckland Bogotá Caracas Lisbon London Madrid
Mexico City Milan Montreal New Delhi San Juan Singapore Sydney Tokyo Toronto

EDITORS-IN-CHIEF

Joel G. Hardman, Ph.D.

Professor of Pharmacology
Associate Vice-Chancellor for Health Affairs
Vanderbilt University School of Medicine
Nashville, Tennessee

Lee E. Limbird, Ph.D.

Professor and Chair
Department of Pharmacology
Vanderbilt University School of Medicine
Nashville, Tennessee

EDITORS

Perry B. Molinoff, M.D.

A. N. Richards Professor and Chairman
Department of Pharmacology
University of Pennsylvania School of Medicine
Philadelphia, Pennsylvania
Current Position:
Vice-President, CNS Drug Discovery
Bristol-Myers Squibb
Wallingford, Connecticut

Raymond W. Ruddon, M.D., Ph.D.

Eppley Professor of Oncology
Director, Eppley Cancer Center
University of Nebraska Medical Center
Omaha, Nebraska

CONSULTING EDITOR

Alfred Goodman Gilman, M.D., Ph.D., D.Sc. (Hon.)

Raymond and Ellen Willie Professor of Molecular Neuropharmacology
Regental Professor and Chairman, Department of Pharmacology
University of Texas Southwestern Medical Center
Dallas, Texas

ILLUSTRATIONS BY EDNA KUNKEL.

biogeochemistry

phology (bi'o-ke-mor-fol'o-je) the study of the relationship between chemical constitution and biological action.

phology (bi'o-si'dal) pertaining to that which kills living organisms.

phology (bi'o-kli-mat'iks) bioclimatology.

phologist (bi'o-kli-mah-toi'f-jist) an individual skilled in phology.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mat'iks) bioclimatology.

phology (bi'o-si'dal) pertaining to that which kills living organisms.

phology (bi'o-kli-mah-toi'f-jist) an individual skilled in phology.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

phology (bi'o-kli-mah-toi'f-je) [bio + climatology] the study of the effects of climate on living organisms of the natural environment (rainfall, daylight, temperature, air movement) prevailing in specific regions of the world. See also *biometeorology*.

biogeography

169

biogeography (bi'o-je-og'rah-ic) the scientific study of geographic distribution of living organisms.

biograph (bi'o-graf) 1. an instrument for analyzing and rendering visible the movements of animals; used in diagnosis of certain nervous diseases. 2. spirograph.

biohydraulic (bi'o-hi-draw'lik) [bio + Gr. *hydra* water] pertaining to the action of water and solutions in living tissue.

biomplant (bi'o-im'plant) denoting a prosthesis made of bio-synthetic material.

biokinetics (bi'o-ki-net'iks) [bio + Gr. *kinetikos* of or for putting in motion] the science of the movements within developing organisms.

biologic, biological (bi-o-loj'ik; bi-o-loj'ik-kal) pertaining to biology.

biologicals (bi-o-loj'ik-kal) medicinal preparations made from living organisms and their products, including sera, vaccines, antigens, antitoxins, etc.

biologist (bi-o-l'j-ist) an expert in biology.

biologos (bi-o-l'j-og-os) [bio + Gr. *logos* reason] the intelligent power displayed in organic activities.

biology (bi-o-l'j-je) [bio + *-logos*] the science that deals with the phenomena of life and living organisms in general. **molecular b.**, the study of molecular structures and events underlying biological processes, including the relation between genes and the functional characteristics they determine. **radiation b.**, the scientific study of effects of ionizing radiation on living organisms.

bioluminescence (bi'o-loo'mi-nes'ens) chemoluminescence occurring in living cells, especially the emission of light as a result of cellular oxidation of a heat-stable substrate (luciferin) in the presence of a heat-sensitive enzyme (luciferase).

biolysis (bi-o-l'j-iss) chemical decomposition of organic matter by the action of living organisms.

biolytic (bi-o-l'j-ik) [bio + Gr. *lytikos* loosening] 1. pertaining to or characterized by biolysis. 2. destructive to life.

biomass (bi'o-mass) the entire assemblage of living organisms, both animal and vegetable, of a particular region, considered collectively.

biomaterial (bi'o-mah-te're-al) a synthetic dressing with selective barrier properties, used in treatment of burns; it consists of a liquid solvent (polyethylene glycol-400) and a powdered polymer.

biomathematics (bi'o-math'is-mat'iks) [bio + mathematics] mathematics as applied to the phenomena of living things.

biome (bi'om) [Gr. *bios* life + *-ome* (-oma) mass] the recognizable community unit of a given region, produced by interaction of climatic factors, biota, and substrate, usually designated according to the characteristic adult or climax vegetation, as tundra, coniferous forest or taiga, deciduous forest, grassland, and the like.

biomechanics (bi'o-mē-kan'iks) [bio + mechanics] the application of mechanical laws to living structures, specifically to the locomotor system of the human body. **dental b.**, the relationship between the biologic behavior of oral structures and the physical influence of a dental restoration.

biomedical (bi'o-med'ik-kal) biological and medical; pertaining to the application of the natural sciences (biology, biochemistry, biophysics, etc.) to the study of medicine.

biomedicine (bi'o-med'ik-sin) clinical medicine based on the principles of the natural sciences (biology, biochemistry, biophysics, etc.).

biomembrane (bi'o-mem'brān) any membrane, e.g., cell membrane, of an organism.

biomembranous (bi'o-mem'brān-nus) of or pertaining to a biomembrane.

biometeorologist (bi'o-me'te-or-ol'j-ist) an individual skilled in biometeorology.

biometeorology (bi'o-me'te-or-ol'j-je) [bio + Gr. *metēōros* raised from off the ground + *logos* treatise] that branch of ecology which deals with the effects on living organisms of the extraneous aspects of the physical environment (such as temperature, humidity, barometric pressure, rate of air flow, and air ionization). It considers not only the natural atmosphere but also artificially created atmospheres such as those to be found in buildings and shelters, and in closed ecological systems, such as satellites and submarines.

biometer (bi-om'ē-ter) [bio + Gr. *metron* measure] an apparatus by which extremely minute quantities of carbon dioxide can be measured; used in measuring the carbon dioxide given off from functioning tissue.

biometician (bi'o-mē-trish'an) an individual skilled in biometry.

biometrics (bi-o-met'iks) biometry.

biometry (bi-om'ē-ter) [bio + Gr. *metron* measure] 1. the science of the application of statistical methods to biological facts; mathematical analysis of biological data. 2. in life insurance, the calculation of the expectation of life.

biomicroscope (bi'o-mi'krō-skōp) a microscope for examining living tissue in the body. **slit-lamp b.**, Gullstrand's slit lamp.

biomicroscopy (bi'o-mi'krō-skōp) the study of living tissue through the lens by a compound microscope.

biomolecule (bi'o-mō-lē-kul) a molecule, as a protein.

blomotor (bi'o-mō-tor) a device for measuring respiration.

Biomphalaria (bi'o-mf'la-ri-a) a species of which is called also *Austro*.

bion (bi'on) [Gr. *bios* life].

bionecrosis (bi'o-nē-kro-sis) the death of living tissue.

bionergy (bi-on'ē-je) force exercised by living organisms.

bionics (bi-on'iks) the study of the characteristics and application techniques in the bionics.

bionomics (bi'o-nō-miks) the study of the relations of living organisms to their environment.

bionomy (bi-on'ē-mē) the study of the relations of living organisms to their environment.

bionosis (bi-on'ō-sis) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

bionucleonics (bi'o-nū-kle-on'iks) the study of the relations of living organisms to their environment.

R121
D73
1981
C 11

The Library of Congress Cataloged the First Issue of this Serial as follows:

Dorland's illustrated medical dictionary. [1st]—ed.

Philadelphia. Saunders, 1900—

illus. (part col.) 23–25 cm.

Title varies: 1st–22d ed., The American illustrated medical dictionary.

- | | |
|---------------------------|-------------------------------------|
| I. Medicine—Dictionaries. | I. Dorland, William Alexander |
| Newman, 1864–1956. | II. Title: The American illustrated |
| medical dictionary. | medical dictionary. |

R121.D73 610.3 Q-6383 rev 4*

Library of Congress [r65i*7] MARC-S

© 1981 by W. B. Saunders Company

Copyright 1900, 1901, and 1903 by W. B. Saunders and Company. Copyright 1906, 1909, 1911, 1913, 1915, 1917, 1918, 1921, 1923, 1925, 1927, 1929, 1932, 1935, 1938, 1941, 1944, 1947, 1951, 1957, 1965, and 1974 by W. B. Saunders Company.

Copyright under the Uniform Copyright Convention. Simultaneously published in Canada. All Copyright Renewals Registered.

Derchos reservados conforme a la ley para la Republica Mexicana.

All Rights Reserved. This book is protected by copyright. No part of it may be duplicated or reproduced in any manner without written permission from the publisher. Made in the United States of America. Press of W. B. Saunders Company.

Some of the words appearing in the Dictionary are proprietary names (trademarks) even though no reference to this fact is made in the text. The appearance of any name without designation as a trademark is therefore not to be regarded as a representation by the editors or publisher that it is not a trademark or is not the subject of proprietary rights.

The use of portions of the text of the *United States Pharmacopoeia*, Twentieth Revision, official from July 1, 1980, of the *National Formulary*, Fifteenth Edition, official from July 1, 1980, and of *USAN and the USP Dictionary of Drug Names 1981* is by permission received from the Board of Trustees of the United States Pharmacopoeial Convention, Inc. The said Convention is not responsible for any inaccuracy of quotation, or for any false or misleading implication that may arise by reason of the separation of excerpts from the original context or by obsolescence resulting from publication of a supplement.

Listed here are the latest translated editions of this book together with the languages for the translations and the publishers.

Japanese (25th Edition)—Hirokawa Publishing Company, Tokyo, Japan

Spanish (25th Edition) (Adaptation)—El Ateneo, Buenos Aires, Argentina

Braille edition (24th Edition)—American Printing House for the Blind, Louisville, Kentucky

ISBN 0-7216-3150-9 Standard

ISBN 0-7216-3161-7 Indexed

Library of Congress Catalog Card Number: 78-50050

Last digit is the print number: 9 8 7 6 5 4 3 2 1

AHuchmen LL

DORLAND'S ILLUSTRATED

Medical Dictionary

Twenty-sixth Edition

W. B. SAUNDERS COMPANY Philadelphia London Toronto
Mexico City Sydney Tokyo



bio / bionic

140

bio (bi'ō) *n.*, *pl.* **bios** (Callm.) *n.* biography, often a very brief one — *adj.* [Colloq.] biographical

biogeo- (bi'ō, -ə) [*Gr* < *bios*, life < IE base **bʰew-*, to live > quick, 1. *ovare*, to live, *vita*, life, *Old* *bios*, living, *Gr* *bios*, to live, *zōon*, animal] combining form life, of living things, biological (*biography*, *biotechnology*)

bioaccumulation (bi'ō a kyoo'm'yoo lē'shun, -yoo-) *n.* the process in which industrial waste, toxic chemicals, etc. gradually accumulate in living tissue — **bioaccumulative** (bi'ō a kyoo'm'yoo lē'tiv, -lō iv, -yō-) *adj.*

biocoustics (-jō koo's'tiks) *n.pl.* [with sing. *v.*] a branch of acoustics that deals with sounds produced and perceived, esp. for communication, by animals

biocative (-ak'tiv) *adj.* having a capacity to interact with a living tissue or system — **biocativity** (-ak'tiv'itē) *n.*

biobiosay (bi'ō as'ā) *n.* [bio- + assay] a technique for determining the power of a drug or other substance by measuring its effects on a test specimen against those of a standard substance

biobioastronautics (bi'ō as'tro nō'tiks) *n.pl.* [with sing. *v.*] the science that deals with the physical responses of living things to the environment of space and space travel

bioaval-labile (-ə vā'lā bil'ē) *n.* the rate at which a drug, trace element, etc. enters the bloodstream and is circulated to specific organs or tissues

biocatalyst (bi'ō kat'ist) *n.* a substance, as an enzyme or hormone, that catalyzes or speeds up a biochemical reaction — **biocatalytic** (-kat'ist'ik) *adj.*

biocoenosis (bi'ō si'ō'nē) *n.* [ModL < *oikos* + *Gr* *koinōsis*, a mingling < *koinōs*, to share < *koinos*, common; see *coenos*] a community of biologically integrated and interdependent plants and animals Also **biocoenosis** (-si'ō'nē) or **biocenose** (-kē'nōs)

biochemical oxygen demand 1 the amount of dissolved oxygen needed to decompose the organic matter in waste water: a high BOD indicates heavy pollution with little oxygen remaining for fish 2 the organic matter in waste water Also **BIOLOGICAL OXYGEN DEMAND**

biochemistry (-kem'is trē) *n.* a science that deals with the chemistry of life processes in plants and animals — **biochemical** *adj.*, *n.* — **biochemist** *n.*

biocide (bi'ō sid) *n.* [bio- + *cide*] a poisonous chemical substance that can kill living organisms, esp. microorganisms

bioclean (bi'ō klēn) *adj.* as completely free as possible from microorganisms, esp. so as to be aseptic

bioclimatology (bi'ō klīm'at'ol'ōjē) *n.* the science that deals with the effects of climate on living matter — **bioclimatic** (-klīm'at'ik) *adj.*

biocompatible (-kem pat'ē bē) *adj.* compatible with living tissue, as a prosthetic material or device that is not rejected or does not cause infection — **biocompatibility** *n.*

biocorversion (-kun vər'shun, -shun) *n.* a process in which a fuel is generated from waste matter, plant matter, etc. as in using bacteria to feed on waste to produce methane

biocybernetics (-sībər net'iks) *n.pl.* [with sing. *v.*] the branch of cybernetics that deals with the control and communication systems of living organisms — **biocybernetic** *adj.*

biodegradable (-di grā'dā bēl) *adj.* [bio- + *degrade* (-ē), -ABLE] capable of being readily decomposed by microbial action, as some detergents — **biodegradability** or **biodegradation** (-deg'rā dā'shun) *n.* **biodegrade** *vt.*

biocology (-ē kōl'ōjē) *n.* [bio- + *ecology*] the science that deals with the interrelations of communities of animals and plants with their environment

bioelectric (-i lek'trik) *adj.* of or having to do with electrical energy in living tissues Also **bioelectrical** — **bioelectricity** *n.*

bioelectronics (-ēlek trā'n'iks, -ēlek-) *n.pl.* [with sing. *v.*] a branch of electronics that deals with electronic devices, implants, etc. used in medicine and biological research — **bioelectronic** *adj.*, *n.* — **bioelectronically** *adv.*

bioenergetics (-en'ər jēt'iks) *n.pl.* [with sing. *v.*] a branch of energetics that deals with how a living organism converts food, sunlight, etc. into useful energy — **bioenergetic** *adj.*

bioengineering (-enjē nī'n) *n.* a science dealing with the application of engineering science and technology to problems of biology and medicine — **bioengineer** *n.*

bioequivalence (-ē kwiv'ē lēns, -jē) *n.* the equality of strength, bioavailability, and dosage of various drug products Also **bioequivalency** — **bioequivalent** *adj.*

bioethics (-ēth'iks) *n.pl.* [with sing. *v.*] the study of the ethical problems arising from scientific advances, esp. in biology and medicine — **bioethical** *adj.*

biofeedback (-fēd'bēk) *n.* a technique of seeking to control certain emotional states, such as anxiety or depression, by training oneself, with the aid of electronic devices, to modify autonomic body functions, such as blood pressure or heartbeat

bioflavonoid (-flāv'vō nōid, -flāv'vō-) *n.* any of a group of biologically active flavone compounds that may help maintain the blood's capillary walls, reducing the likelihood of hemorrhaging; widely found in plants, esp. citrus fruits

biog 1 biographer 2 biographical 3 biography

biogas (bi'ō gās) *n.* a fuel gas produced by fermenting organic waste, as in capturing methane from manure

biogenesis (bi'ō jē'n'ē sīs) *n.* [bio- + *genesis*] 1 the principle that living organisms originate only from other living organisms

closely similar to themselves 2 the generation of organisms in this way — **biogenetic** (-jē nē'tik) or **biogenetical** *adj.* — **biogenetically** *adv.*

biogenic (jē'n'ē) *adj.* produced by, or essential to, living cells

biogeochemical cycle (bi'ō jē'ō kem'ē kāl) the cycle in which nitrogen, carbon, and other inorganic elements of the soil, atmosphere, etc. of a region are converted into the organic substances of animals or plants of the region and released back into the environment

biogeography (bi'ō jē'ō grā'fē) *n.* the branch of biology that deals with the geographical distribution of plants and animals — **biogeographic** (-ē grā'f'ik) *adj.*

biographer (bi'ō grā'fēr; also bi-) *n.* a subject of a biography

biographer (bi'ō grā'fēr; also bi-) *n.* a writer of a biography or biographies

biographical (bi'ō grā'fē kəl) *adj.* 1 of, having to do with, or characteristic of biography or biographies 2 giving the story of, or based on, a person's life Also **biographic** — **biographically** *adv.*

biography (bi'ō grā'fē; also, bi-) *n.* [Gr *biographia*: *bios* BIO- & *graphein* -GRAPHY] 1 the histories of individual lives, considered as a branch of literature 2 *pl.* -phies an account of a person's life, described by another; life story

biohazard (bi'ō hāzəd) *n.* [BIO- + *HAZARD*] a risk or danger to life or health, esp. that resulting from biological experimentation — *adj.* having to do with biohazards, esp. their prevention or control — **biohazardous** *adj.*

biolith (bi'ō lēth) *n.* [*Gr* *lithos*] 1 a small mass or mound of limestone built by sedimentary organisms, as corals: *pl.* *liths* 2 *concretions*

biological instrumentation (bi'ō iō'strə mēn tā'shun) *n.* the use of instruments, as sensors, to detect and measure certain body functions, as of persons in spaceflight, and transmit the data to a point where it is evaluated

Bioko (be'ō kō) island in the Gulf of Benin, off the coast of Cameroon, part of Equatorial Guinea: 779 sq. mi. (2,017 sq. km); pop. 70,000

biol 1 biological 2 biologist 3 biology

biological (bi'ō lōj'ē kəl) *adj.* 1 of or connected with biology: of plants and animals 2 of the nature of living matter 3 used in or produced by practical biology — *n.* a biological product Also **biologic** — **biologically** *adv.*

biological clock any of the various natural cycles in organisms that are related to the tides, sun, moon, light, temperature, etc. and that control breeding, feeding, migration, etc.

biological control the control of destructive organisms, esp. insects, by various, usually nonchemical means, as the use of natural predators

biological oxygen demand BOD

biological therapy BOTHERAPY

biological warfare the deliberate use of disease-spreading microorganisms, toxins, etc. in warfare

biology (bi'ō lōjē) *n.* [*Gr* *bios* BIO- & *logos* LOG-] 1 the science that deals with the origin, history, physical characteristics, life processes, habits, etc. of plants and animals: it includes botany and zoology 2 animal and plant life, as of a given area 3 biological history, principles, etc. — **biologist** *n.*

bioluminescence (bi'ō lū'mēn'sēns) *n.* 1 the production of light by living organisms, as by fireflies or many deep-water cephalopods 2 such light — **bioluminescent** *adj.*

biolysis (bi'ō lī'sis) *n.* [ModL: see *BIO-* & *LYSIS*] the destruction of life, as by microorganisms — **biolytic** (bi'ō lī'tik) *adj.*

biomagnetism (bi'ō mag'nēt'izm) *n.pl.* [with sing. *v.*] a branch of magnetism that deals with how magnetism is related to living organisms — **biomagnetic** *adj.*

biomass (bi'ō mās) *n.* [BIO- + *MASS*] the total mass or amount of living organisms in a particular area or volume

biomaterial (-mā tī'ē āl) *n.* a synthetic or natural substance used to replace a bone, tissue, etc. in a living body

biomathematics (bi'ō math'ē mat'iks) *n.pl.* [with sing. *v.*] the science that deals with the application of mathematical methods to the structure and functions of living organisms

biome (bi'ōm) *n.* [*Gr* *bios* BIO- & *oikos* OIKOS] any of several major life zones of interrelated plants and animals determined by the climate, as deciduous forest or desert; see *association* (sense 6)

biomechanics (bi'ō mē'kān'iks) *n.pl.* [with sing. *v.*] the application of the principles and techniques of mechanics to the structure, functions, and capabilities of living organisms — **biomechanical** *adj.*

biomedicine (bi'ō med'ē sēn) *n.* the aspects of medicine that derive from, or relate to, the natural sciences, esp. biology, biochemistry, and biophysics — **biomedical** *adj.*

biometeorology (-mē'tē or bi'ō jē) *n.* the study of the interrelationships of biology and weather — **biometeorological** *adj.* — **biometeorologist** *n.*

biometrics (-mē'tr'iks) *n.pl.* [with sing. *v.*] that branch of biology which deals with its data statistically and by mathematical analysis — **biometric** or **biometrical** *adj.*

biometry (bi'ō mē'trē) *n.* 1 calculation of the probable human life span 2 *biometrics*

biomolecule (bi'ō mōl'ē kyōl) *n.* an organic compound made in a living system

Bion (bi'ōn, -ən) fl. 2d cent. n.c.; *Gr.* pastoral poet

biobionic (bi'ō nī'k) *adj.* [see *fol.*] 1 of or having to do with bionics 2 a) designating an artificial replacement for a bodily part b) fur-

THIRD COLLEGE EDITION

Webster's New World Dictionary

OF AMERICAN ENGLISH

VICTORIA NEUFELDT

Editor in Chief

DAVID B. GURALNIK

Editor in Chief Emeritus



Webster's New World
New York

*Dedicated
to David B. Guralnik
lexicographical mentor
and friend*

Webster's New World Dictionary, Third College Edition

Copyright © 1988 by Simon & Schuster, Inc.

This edition is a major revision of Webster's New World Dictionary, Second College Edition, copyright © 1986 and 1970, 1972, 1974, 1976, 1978, 1979, 1980, 1982, and 1984 by Simon & Schuster, Inc.

All rights reserved
including the right of reproduction
in whole or in part in any form

Published by Webster's New World Dictionaries
A Division of Simon & Schuster, Inc.
Gulf + Western Building
One Gulf + Western Plaza
New York, New York 10023

WEBSTER'S NEW WORLD and colophons are registered trademarks of
Simon & Schuster, Inc.

Dictionary Editorial Offices: New World Dictionaries,
850 Euclid Avenue, Cleveland, Ohio 44114

DISTRIBUTED BY PRENTICE HALL TRADE

Database design and creation by Lexi-Comp, Inc., Hudson, Ohio.

The typefaces used are Century Schoolbook and Helvetica.

Manufactured in the United States of America

1 2 3 4 5 6 7 8 9

Library of Congress Cataloging-in-Publication Data

Webster's New World dictionary of American English / Victoria
E. Neufeldt, editor-in-chief. — 3rd college ed.

1. English language—Dictionaries. 2. Americanisms—
Dictionaries.

I. Neufeldt, Victoria E.
PE1628.W5633 1988

88-1712

ISBN 0-13-947169-3 (thumb-indexed)
0-13-949280-1 (plain-edged)
0-13-949314-X (leatherkraft)

CHAPTER 4 PRINCIPLES OF TOXICOLOGY AND TREATMENT OF POISONING

67

brain. Next in order of frequency of involvement in systemic toxicity are the circulatory system; the blood and hematopoietic system; visceral organs such as liver, kidney, and lung; and the skin. Muscle and bone are least often affected. With substances that have a predominantly local effect, the frequency of tissue reaction depends largely on the portal of entry (skin, gastrointestinal tract, or respiratory tract).

Reversible and Irreversible Toxic Effects. The effects of drugs on human beings must, whenever possible, be reversible; otherwise the drugs would be prohibitively toxic. If a chemical produces injury to a tissue, the capacity of the tissue to regenerate or recover will largely determine the reversibility of the effect. Injuries to a tissue such as liver, which has a high capacity to regenerate, usually are reversible; injury to the CNS is largely irreversible, because the highly differentiated neurons of the brain cannot divide and regenerate.

Delayed Toxicity. Most toxic effects of drugs occur at a predictable (usually short) time after administration. However, such is not always the case. For example, aplastic anemia caused by chloramphenicol may appear weeks after the drug has been discontinued. Carcinogenic effects of chemicals usually have a long latency period, and 20 to 30 years may pass before tumors are observed. Because such delayed effects cannot be assessed during any reasonable period of initial evaluation of a chemical, there is an urgent need for reliably predictive, short-term tests for such toxicity as well as for systematic surveillance of the long-term effects of marketed drugs and other chemicals (see Chapter 3).

Chemical Carcinogens. Chemical carcinogens are classified into two major groups, *genotoxic* and *non-genotoxic* carcinogens. Genotoxic carcinogens interact with DNA, whereas nongenotoxic carcinogens do not. Chemical carcinogenesis is a multistep process. Most genotoxic carcinogens are themselves unreactive (*procarcinogens* or *proximate carcinogens*) but are converted to *primary* or *ultimate carcinogens* in the body. The cytochrome P450-dependent monooxygenases of the endoplasmic reticulum often convert the proximate carcinogens to reactive electron-deficient intermediates (electrophiles). These reactive intermediates can interact with electron-rich (nucleophilic) centers in DNA to produce a mutation. Such interaction of the ultimate carcinogen with DNA in a cell is thought to be the initial step in chemical carcinogenesis. The DNA may revert to normal if DNA repair mechanisms operate successfully; if not, the transformed cell may grow into a tumor that becomes apparent clinically.

Nongenotoxic carcinogens, also referred to as *promoters*, do not produce tumors alone but potentiate the effects of genotoxic carcinogens. Promotion involves facilitation of the growth and development of so-called dormant or latent tumor cells. The time from initiation to the development of a tumor probably depends on the presence of such promoters; for many human tumors the latent period is 15 to 45 years.

To determine whether or not a chemical is potentially carcinogenic to humans, two main types of laboratory tests of study is performed to determine

whether or not the chemical is mutagenic, because many carcinogens are also mutagens. These studies are often *in vitro* studies, such as the Ames test using *Salmonella typhimurium* (Ames *et al.*, 1975), which can be completed within a few days. This type of test can detect genotoxic carcinogens but not promoters. The second type of study to detect chemical carcinogens consists of feeding laboratory animals (mice and rats) the chemical at high dosages for their entire life span. Autopsies and histopathological examinations are performed on each animal. The incidence of tumors in control animals and animals fed the chemical are compared to determine whether the chemical produces an increased incidence of tumors. This latter study can detect promoters as well as genotoxic carcinogens.

Allergic Reactions. *Chemical allergy* is an adverse reaction that results from previous sensitization to a particular chemical or to one that is structurally similar. Such reactions are mediated by the immune system. The terms *hypersensitivity* and *drug allergy* often are used to describe the allergic state.

For a low-molecular-weight chemical to cause an allergic reaction, it or its metabolic product usually acts as a hapten, combining with an endogenous protein to form an antigenic complex. Such antigens induce the synthesis of antibodies, usually after a latent period of at least 1 or 2 weeks. Subsequent exposure of the organism to the chemical results in an antigen-antibody interaction that provokes the typical manifestations of allergy. Dose-response relationships usually are not apparent for the provocation of allergic reactions.

Allergic responses have been divided into four general categories, based on the mechanism of immunological involvement (Coombs and Gell, 1975). Type I, or anaphylactic, reactions in human beings are mediated by IgE antibodies. The Fc portion of IgE can bind to receptors on mast cells and basophils. If the Fab portion of the antibody molecule then binds antigen, various mediators (histamine, leukotrienes, prostaglandins) are released and cause vasodilation, edema, and an inflammatory response. The main targets of this type of reaction are the gastrointestinal tract (food allergies), the skin (urticaria and atopic dermatitis), the respiratory system (rhinitis and asthma), and the vasculature (anaphylactic shock). These responses tend to occur quickly after challenge with an antigen to which the individual has been sensitized and are termed *immediate hypersensitivity reactions*.

Type II, or cytolytic, reactions are mediated by both IgG and IgM antibodies and usually are attributed to their ability to activate the complement system. The major target tissues for cytolytic reactions are the cells in the circulatory system. Examples of type II allergic responses include penicillin-induced hemolytic anemia, methyldopa-induced autoimmune hemolytic anemia, quinidine-induced thrombocytopenic purpura, sulfonamide-induced granulocytopenia, and hydralazine- or procainamide-induced systemic lupus erythematosus. Fortunately, these autoimmune reactions to drugs usually subside within several months after removal of the offending agent.

Type III, or Arthus, reactions are mediated predominantly by IgG; the mechanism involves the generation of antigen-antibody

complexes that subsequently fix complement. The complexes are deposited in the vascular endothelium, where a destructive inflammatory response called *serum sickness* occurs. This phenomenon contrasts with the type II reaction, in which the inflammatory response is induced by antibodies directed against tissue antigens. The clinical symptoms of serum sickness include urticarial skin eruptions, arthralgia or arthritis, lymphadenopathy, and fever. These reactions usually last for 6 to 12 days and then subside after the offending agent is eliminated. Several drugs, such as sulfonamides, penicillins, certain anticonvulsants, and iodides, can induce serum sickness. Stevens-Johnson syndrome, such as that caused by sulfonamides, is a more severe form of immune vasculitis. Symptoms of this reaction include erythema multiforme, arthritis, nephritis, CNS abnormalities, and myocarditis.

Type IV, or delayed-hypersensitivity, reactions are mediated by sensitized T lymphocytes and macrophages. When sensitized cells come in contact with antigen, an inflammatory reaction is generated by the production of lymphokines and the subsequent influx of neutrophils and macrophages. An example of type IV or delayed hypersensitivity is the contact dermatitis caused by poison ivy.

Idiosyncratic Reactions. *Idiosyncrasy* is defined as a genetically determined abnormal reactivity to a chemical. The observed response is qualitatively similar in all indi-

viduals, but the idiosyncratic response may take the form of extreme sensitivity to low doses or extreme insensitivity to high doses of the agent. For example, many black males (about 10%) develop a serious hemolytic anemia when they receive primaquine. Such individuals have a deficiency of erythrocytic glucose-6-phosphate dehydrogenase (see Chapter 40). Genetically determined resistance to the anticoagulant action of warfarin is due to an alteration in the vitamin K epoxide reductase (see Chapter 54).

Interactions between Chemicals. The existence of numerous toxicants requires consideration of their potential interactions (see Figure 4-6). Concurrent exposures may alter the pharmacokinetics of drugs by changing rates of absorption, the degree of protein binding, or the rates of biotransformation or excretion of one or both interacting compounds. The pharmacodynamics of chemicals can be altered by competition at the receptor; for example, atropine is used to treat organophosphate insecticide toxicity, because it blocks muscarinic cholinergic receptors and prevents their stimulation by excess acetylcholine resulting from inhibition of acetylcholinesterase by the insecticide. Nonreceptor pharmacodynamic drug interactions also can occur when two drugs have different mechanisms of action; for example, aspirin and heparin when given together can cause unexpected bleeding. The response to combined toxicants may thus be equal to, greater than, or less than the sum of the effects of the individual agents.

Numerous terms describe pharmacological and toxicological interactions (see Figure 4-6, B). An *additive* effect describes the combined effect of two chemicals that is equal to the sum of the effect of each agent given alone; the additive effect is the most common. A *synergistic* effect is one in which the combined effect of two chemicals is greater than the sum of the effect of each agent given alone. For example, both carbon tetrachloride and ethanol are hepatotoxins, but together they produce much more injury to the liver than expected from the mathematical sum of their individual effects. *Potentiation* is the increased effect of a toxic agent acting simultaneously with a nontoxic one. Isopropanol alone, for example, is not hepatotoxic; however, it greatly increases the hepatotoxicity of carbon tetrachloride. *Antagonism* is the interference of one chemical with the action of another. An antagonistic agent is often desirable as an antidote. *Functional or physiological antagonism* occurs when two chemicals produce opposite effects on the same physiological function. For example, this principle is applied to the ability of an intravenous infusion of dopamine to maintain perfusion of vital organs during certain severe intoxications characterized by marked hypotension. *Chemical antagonism or inactivation* is a reaction between two chemicals to neutralize their effects. For example, dimercaprol (BAL) chelates with various metals to decrease their toxicity (see Chapter 66). *Dispositional antagonism* is the alteration of the disposition of a substance (its absorption, biotransformation, distribution, or excretion) so that less of the agent reaches the target organ or its persistence there is reduced (see below). *Antagonism at the receptor* for the chemical entails the blockade of the effect of an agonist with an appropriate antagonist that competes for the same site. For example, the antagonist, naloxone, is used to treat respiratory depression produced by opioids (see Chapter 23).




Figure 4-6. Mechanisms and classifications of chemical interactions.